

CORRUGATED WATER HOSE

PRODUCT DATA SHEET

Technical Specifications:

Size:

Inner Diameter: 1 1/2" (49 mm)

Length: 50 meters

Material: High-quality PVC with reinforced structure

Working Pressure (WP): 10 Bar (145 PSI)

Temperature Range: -5°C to +60°C

Design Features:

Corrugated exterior for enhanced flexibility and maneuverability

Smooth interior for efficient water flow

Lightweight construction for ease of handling

Weight: Approx. 15-20 kg per roll



Description:

The corrugated water hose is a durable and flexible hose designed for efficient water transfer in industrial, agricultural, and construction applications. Its corrugated design ensures flexibility, while its robust construction withstands challenging environments.

Features:

★Flexibility:

The corrugated design allows the hose to bend and flex easily without kinking.

★High Durability:

Built with reinforced layers to resist wear, abrasion, and environmental factors.

★Pressure Resistance:

Withstands working pressures up to 10 Bar, making it suitable for heavy-duty applications.

★Chemical Resistance:

Resistant to mild chemicals, ensuring reliable use in various industries.

★Lightweight and Portable:

Easy to transport and deploy for mobile applications.

Applications:

★ **Industrial Use:** Water transfer in factories and construction sites

★ **Agricultural Use:** Irrigation and drainage systems

★ **Residential Use:** Gardening, washing, and water supply lines

★ **Marine Use:** Transfer of fresh or seawater

★

