

Technical Specifications:

Material	High-quality Glass Fiber
Thermal Conductivity	0.05 W/mK
Sizes Available	25mm x 3mm x 25M
	50mm x 3mm x 25M
	75mm x 3mm x 25M
	100mm x 3mm x 25M
Temperature Resistance	Up to 550°C
Color	White/Natural



Description:

The Glass Fiber Tape is a flexible and high-performance thermal insulation material designed for pipe wrapping, jointing, and sealing applications. With a low thermal conductivity of 0.05 W/mK, it provides excellent heat resistance while maintaining flexibility. This tape is ideal for insulation purposes in industrial, automotive, and HVAC applications.

Features:

- ★ **High Thermal Insulation:** Low conductivity reduces heat transfer.
- ★ **Flexible & Durable:** Easy to wrap around pipes and joints.
- ★ **Heat & Fire Resistant:** Withstands high temperatures up to 550°C.
- ★ **Industrial-Grade Strength:** Ideal for HVAC, electrical insulation, and sealing applications.
- ★ **Non-Conductive & Corrosion Resistant:** Safe for electrical and chemical environments.

Applications:

- ★ **Pipe Wrapping & Joint Sealing** – Provides insulation and prevents heat loss.
- ★ **Industrial Insulation** – Suitable for high-temperature machinery and equipment.
- ★ **Automotive & Marine** – Protects exhaust systems and piping.
- ★ **Electrical Insulation** – Safe for use in high-voltage environments.
- ★ **HVAC Systems** – Enhances efficiency by preventing heat dissipation.